

B. In the Claims:

Applicant requests that claims 1-10, 12, 14-15, 17 and 24-26 be amended and that claim 52 be cancelled as set forth below in a listing of all of the claims in the Application with an identification of the status of each claim.

- Claim 1. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of:
- (i) benzyl alcohol; and
 - (ii) propylene glycol.
- Claim 2. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said composition consists essentially of: (a) benzyl alcohol and (b) tannic acid.
- Claim 3. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of benzyl alcohol, propylene glycol and a phenol containing essential oil.
- Claim 4. (currently amended) A method for protecting ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said composition consists essentially of phenylethanol, benzyl alcohol and tannic acid.

- Claim 5. (currently amended) A method for protecting ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said composition consists essentially of propylene glycol and tannic acid.
- Claim 6. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of propylene glycol, tannic acid and lactic acid.
- Claim 7. (currently amended) The method according to claim 5, wherein said antimicrobial composition comprises from 0.01 to less than 50% by weight of ~~benzyl alcohol~~ tannic acid.
- Claim 8. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of propylene glycol, tannic acid, n-butyl alcohol and iso-butyl alcohol, but no benzyl alcohol and no polyphenol compounds.
- Claim 9. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of propylene glycol, tannic acid and benzyl alcohol.

- Claim 10. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said composition consists essentially of lactic acid and tannic acid.
- Claim 11. (previously presented) The method according to claim 9, wherein said antimicrobial composition comprises from 0.01 to 99% by weight of benzyl alcohol and from 0.01 to 50% by weight of tannic acid.
- Claim 12. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of benzyl alcohol, tannin, ~~and tannic acid~~ and rapeseed oil.
- Claim 13. (previously presented) The method according to claim 12, wherein said antimicrobial composition comprises:
from 0.1 to 99% by weight of benzyl alcohol,
and from 0.01 to 50% by weight of tannic acid.
- Claim 14. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of benzyl alcohol, tannin, tannic acid and a phenol containing essential oil.

- Claim 15. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of benzyl alcohol, tannin, tannic acid and phenylethanol.
- Claim 16. (cancelled)
- Claim 17. (currently amended) A method for protecting ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of:
from 0.1 to 99% by weight of benzyl alcohol; and
from 0.01 to 50% by weight of tannic acid.
- Claims 18-22. (cancelled)
- Claim 23. (currently amended) The method according to claim 17, wherein said antimicrobial composition consists essentially of from 20 to 98% by weight of benzyl alcohol and from 0.01 to 10% by weight of tannin.
- Claim 24. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of benzyl alcohol, propylene glycol and rapeseed oil.

PATENT

Application No. 10/069,476

Filing Date: July 1, 2002

Examiner Neil S. Levy, Art Unit 1616

Attorney Docket No. von Kreisler.021

Claim 25. (currently amended) A method for protecting harvested ~~plants selected from the group consisting of tobacco and wheat~~ from microbial attack, comprising the step of applying an antimicrobial composition to the surface of the tobacco ~~or wheat~~, wherein said antimicrobial composition consists essentially of benzyl alcohol, propylene glycol, rapeseed oil and lactic acid.

Claim 26. (currently amended) The method according to claim 1, wherein said step of applying said antimicrobial composition to the surface of the ~~plants~~ tobacco is carried out by spraying.

Claims 27-52. (cancelled)